

STANDARDS FOR HEALTHY PUBLIC RANGELANDS

Standard #1

Within the potential of the ecological site (soil type, landform, climate, and geology), soils are stable and allow for water infiltration to provide for optimal plant growth and minimal surface runoff.

This Means That:

The hydrologic cycle will be supported by providing for water capture, storage, and sustained release. Adequate energy flow and nutrient cycling through the system will be achieved as optimal plant growth occurs. Plant communities are highly varied within Wyoming.

Indicators May Include But Are Not Limited To:

- Water infiltration rates
- Soil compaction
- Erosion (rills, gullies, pedestals, capping)
- Soil micro-organisms
- Vegetative cover (gully bottoms and slopes)
- Bare ground and litter

Standard #2

Riparian and wetland vegetation has structural, age, and species diversity characteristic of the stage of channel succession and is resilient and capable of recovering from natural and human disturbance in order to provide forage and cover, capture sediment, dissipate energy, and provide for groundwater recharge.

This Means That:

Wyoming has highly varied riparian and wetland systems on public lands. These systems vary from large rivers to small streams and from springs to large wet meadows. These systems are in various stages of natural cycles and may also reflect other disturbance that is either localized or widespread throughout the watershed. Riparian vegetation captures sediments and associated materials, thus enhancing the nutrient cycle by capturing and utilizing nutrients that would otherwise move through a system unused.

Indicators May Include But Are Not Limited To:

- Erosion and deposition rate
- Channel morphology and floodplain function
- Channel succession and erosion cycle
- Vegetative cover
- Plant composition and diversity (species, age class, structure, successional stages, desired plant community, etc.)
- Bank stability

Woody debris and instream cover
Bare ground and litter

Standard #3

Upland vegetation on each ecological site consists of plant communities appropriate to the site which are resilient, diverse, and able to recover from natural and human disturbance.

This Means That:

In order to maintain desirable conditions and/or recover from disturbance within acceptable timeframes, plant communities must have the components present to support the nutrient cycle and adequate energy flow. Plants depend on nutrients in the soil and energy derived from sunlight. Nutrients stored in the soil are used over and over by plants, animals, and microorganisms. The amount of nutrients available and the speed with which they cycle among plants, animals, and the soil are fundamental components of rangeland health. The amount, timing, and distribution of energy captured through photosynthesis are fundamental to the function of rangeland ecosystems.

Indicators May Include But Are Not Limited To:

Vegetative cover

Plant composition and diversity (species, age class, structure, successional stages, desired plant community, etc.)

Bare ground and litter

Erosion (rills, gullies, pedestals, capping)

Water infiltration rates

Standard #4

Rangelands are capable of sustaining viable populations and a diversity of native plant and animal species appropriate to the habitat. Habitats that support or could support threatened, endangered, species of special concern, or sensitive species will be maintained or enhanced.

This Means That:

The management of Wyoming rangelands will achieve or maintain adequate habitat conditions that support diverse plant and animal species. These may include listed threatened or endangered species (U.S. Fish and Wildlife-designated), species of special concern (BLM-designated), and other sensitive species (State of Wyoming- designated). The intent of this standard is to allow the listed species to recover and be delisted.

Indicators May Include But Are Not Limited To:

Noxious weeds

Species diversity

Age class distribution

All indicators associated with the upland and riparian standards

Population trends
Habitat fragmentation

Standard #5

Water quality meets State standards.

This Means That:

The State of Wyoming is authorized to administer the Clean Water Act. BLM management actions or use authorizations will comply with all Federal and State water quality laws, rules and regulations to address water quality issues that originate on public lands. Provisions for the establishment of water quality standards are included in the Clean Water Act, as amended, and the Wyoming Environmental Quality Act, as amended. Regulations are found in Part 40 of the Code of Federal Regulations and in Wyoming's Water Quality Rules and Regulations. The latter regulations contain Quality Standards for Wyoming Surface Waters.

Natural processes and human actions influence the chemical, physical, and biological characteristics of water. Water quality varies from place to place with the seasons, the climate, and the kind substrate through which water moves. Therefore, the assessment of water quality takes these factors into account.

Indicators May Include But Are Not Limited To:

Chemical characteristics (e.g., pH, conductivity, dissolved oxygen)
Physical characteristics (e.g., sediment, temperature, color)
Biological characteristics (e.g., macro- and micro-invertebrates,
fecal coliform, and plant and animal species)

Standard #6

Air quality meets State standards.

This Means That:

The State of Wyoming is authorized to administer the Clean Air Act. BLM management actions or use authorizations will comply with all Federal and State air quality laws, rules, regulations and standards. Provisions for the establishment of air quality standards are included in the Clean Air Act, as amended, and the Wyoming Environmental Quality Act, as amended. Regulations are found in Part 40 of the Code of Federal Regulations and in Wyoming Air Quality Standards and Regulations.

Indicators May Include But Are Not Limited To:

Particulate matter
Sulfur dioxide
Photochemical oxidants (ozone)
Volatile organic compounds (hydrocarbons)

Nitrogen oxides
Carbon monoxide
Odors
Visibility

BLM Wyoming Guidelines for Livestock Grazing Management

I. Timing, duration, and levels of authorized grazing will ensure that adequate amounts of vegetative ground cover, including standing plant material and litter, remain after authorized use to support infiltration, maintain soil moisture storage, stabilize soils, allow the release of sufficient water to maintain system function, and to maintain subsurface soil conditions that support permeability rates and other processes appropriate to the site.

II. Grazing management practices should restore, maintain, or improve riparian plant communities. Grazing management strategies consider hydrology, physical attributes, and potential for the watershed and the ecological site. Grazing management should maintain adequate residual plant cover to provide for plant recovery, residual forage, sediment capture, energy dissipation, and groundwater recharge.

III. Range improvement practices (instream structures, fences, water troughs, etc.) in and adjacent to riparian areas will ensure that stream channel morphology (e.g., gradient, width/depth ratio, channel roughness and sinuosity) and functions appropriate to climate and landform are maintained or enhanced. The development of springs, seeps, or other projects affecting water and associated resources shall be designed to protect the ecological and hydrological functions, wildlife habitat, and significant cultural, historical, and archaeological values associated with the water source. Range improvements will be located away from riparian areas if they conflict with achieving or maintaining riparian function.

IV. Grazing practices that consider the biotic communities as more than just a forage base will be designed in order to ensure that the appropriate kinds and amounts of soil organisms, plants, and animals to support the hydrologic cycle, nutrient cycle, and energy flow are maintained or enhanced.

V. Continuous season-long or other grazing management practices that hinder the completion of plants' life-sustaining reproductive and/or nutrient cycling processes will be modified to ensure adequate periods of rest at the appropriate times. The rest periods will provide for seedling establishment or other necessary processes at levels sufficient to move the ecological site condition toward the resource objective and subsequent achievement of the standard.

VI. Grazing management practices and range improvements will adequately protect vegetative cover and physical conditions and maintain, restore, or enhance water quality to meet resource objectives. The effects of new range improvements (water developments, fences, etc.) on the health and function of rangelands will be carefully considered prior to their implementation.

VII. Grazing management practices will incorporate the kinds and amounts of use that will restore, maintain, or enhance habitats to assist in the recovery of Federal threatened and endangered species or the conservation of federally-listed species of concern and other State-designated special status species. Grazing management practices will maintain existing habitat or facilitate vegetation change toward desired habitats. Grazing management will consider threatened and endangered species and their habitats.

VIII. Grazing management practices and range improvements will be designed to maintain or promote the physical and biological conditions necessary to sustain native animal populations and plant communities. This will involve emphasizing native plant species in the support of ecological function and incorporating the use of non-native species only in those situations in which native plant species are not available in sufficient quantities or are incapable of maintaining or achieving properly functioning conditions and biological health.

IX. Grazing management practices on uplands will maintain desired plant communities or facilitate change toward desired plant communities.

Definitions

Activity Plans - Allotment Management Plans (AMPs), Habitat Management Plans (HMPs), Watershed Management Plans (WMPs), Wild Horse Management Plans (WHMPs), and other plans developed at the local level to address specific concerns and accomplish specific objectives.

Coordinated Resource Management (CRM) - A group of people working together to develop common resource goals and resolve natural resource concerns. CRM is a people process that strives for win-win situations through consensus-based decisionmaking.

Desired Plant Community - A plant community which produces the kind, proportion, and amount of vegetation necessary for meeting or exceeding the land use plan/activity plan objectives established for an ecological site(s). The desired plant community must be consistent with the site's capability to produce the desired vegetation through management, land treatment, or a combination of the two.

Ecological Site - An area of land with specific physical characteristics that differs from other areas both in its ability to produce distinctive kinds and amounts of vegetation and in its response to management.

Erosion - (v.) Detachment and movement of soil or rock fragments by water, wind, ice, or gravity. (n.) The land surface worn away by running water, wind, ice, or other geological agents, including such processes as gravitational creep.

Grazing Management Practices - Grazing management practices include such things as grazing systems (rest-rotation, deferred rotation, etc.), timing and duration of grazing, herding, salting, etc. They do not include physical range improvements.

Guidelines (For Grazing Management) - Guidelines provide for, and guide the development and implementation of, reasonable, responsible, and cost-effective management actions at the allotment and watershed level which move rangelands toward statewide standards or maintain existing desirable conditions. Appropriate guidelines will ensure that the resultant management actions reflect the potential for the watershed, consider other uses and natural influences, and balance resource goals with social, cultural/historic, and economic opportunities to sustain viable local communities. Guidelines, and, therefore, the management actions they engender, are based on sound science, past and present management experience, and public input.

Indicator - An indicator is a component of a system whose characteristics (e.g., presence, absence, quantity, and distribution) can be measured based on sound scientific principles. An indicator can be measured (monitored and evaluated) at a site- or species-specific level. Measurement of an indicator must be able to show change within timeframes acceptable to management and be capable of showing how the health of the ecosystem is changing in response to specific management actions. Selection of the appropriate indicators to be monitored in a

particular allotment is a critical aspect of early communication among the interests involved on the ground. The most useful indicators are those for which change or trend can be easily quantified and for which agreement as to the significance of the indicator is broad based.

Litter - The uppermost layer of organic debris on the soil surface, essentially the freshly fallen or slightly decomposed vegetal material.

Management Actions - Management actions are the specific actions prescribed by the BLM to achieve resource objectives, land use allocations, or other program or multiple use goals. Management actions include both grazing management practices and range improvements.

Objective - An objective is a site-specific statement of a desired rangeland condition. It may contain qualitative (subjective) elements, but it must have quantitative (objective) elements so that it can be measured. Objectives frequently speak to change. They may measure the avoidance of negative changes or the accomplishment of positive changes. They are the focus of monitoring and evaluation activities at the local level. Objectives may measure the products of an area rather than its ability to produce them, but if they do so, it must be kept in mind that the lack of a product may not mean that the standards have not been met. Instead, the lack of a particular product may reflect other factors such as political or social constraints. Objectives often focus on indicators of greatest interest for the area in question.

Range Improvements - Range improvements include such things as corrals, fences, water developments (reservoirs, spring developments, pipelines, wells, etc.) and land treatments (prescribed fire, herbicide treatments, mechanical treatments, etc.).

Rangeland - Land on which the native vegetation (climax or natural potential) is predominantly grasses, grass-like plants, forbs, or shrubs. This includes lands revegetated naturally or artificially when routine management of that vegetation is accomplished mainly through manipulation of grazing. Rangelands include natural grasslands, savannas, shrublands, most deserts, tundra, alpine communities, coastal marshes, and wet meadows.

Rangeland Health - The degree to which the integrity of the soil and ecological processes of rangeland ecosystems are sustained.

Riparian - An area of land directly influenced by permanent water. It has visible vegetation or physical characteristics reflective of permanent water influence. Lakeshores and streambanks are typical riparian areas. Excluded are such sites as ephemeral streams or washes that do not have vegetation dependent on free water in the soil.

Standards - Standards are synonymous with goals and are observed on a landscape scale. Standards apply to rangeland health and not to the important by-products of healthy rangelands. Standards relate to the current capability or realistic potential of a specific site to produce these by-products, not to the presence or absence of the products themselves. It is the sustainability of the processes, or rangeland health, that produces these by-products.

Terms and Conditions - Terms and conditions are very specific land use requirements that are made a part of the land use authorization in order to assure maintenance or attainment of the standard. Terms and conditions may incorporate or reference the appropriate portions of activity plans (e.g., Allotment Management Plans). In other words, where an activity plan exists that contains objectives focused on meeting the standards, compliance with the plan may be the only term and condition necessary in that allotment.

Upland - Those portions of the landscape which do not receive additional moisture for plant growth from run-off, streamflow, etc. Typically these are hills, ridgetops, valley slopes, and rolling plains.